

Scott M. Matheson
Governor



James O. Mason, M.D., Dr.P.H.
Executive Director
801-533-6111

DIVISIONS

Community Health Services
Environmental Health
Family Health Services
Health Care Financing
and Standards

OFFICES

Administrative Services
Health Planning and
Policy Development
Medical Examiner
State Health Laboratory

STATE OF UTAH
DEPARTMENT OF HEALTH

DIVISION OF ENVIRONMENTAL HEALTH
150 West North Temple, P.O. Box 2500, Salt Lake City, Utah 84110

Alvin E. Rickers, Director
Room 426 801-533-6121

July 28, 1981
533-6108

RECEIVED
JUL 31 1981

IPP

James H. Anthony
Project Manager/Dept. of Water & Power
Intermountain Power Project
Los Angeles, CA 90051

Re: Change in Proposed IPP Plant (Location
and Stack Temperature, NOI Dated June
6, 1981).

Dear Mr. Anthony:

The proposed changes in exhaust stack temperature for the tall
stacks from 350° K to 330° K and relocation 535 meters east-
northeast of the original location have been reviewed and no
adverse impacts would result.

The above changes are hereby approved and shall be considered
part of the Intermountain Power Project approval order dated
December 3, 1980.

Sincerely,

Brent C. Bradford
Executive Secretary
Utah Air Conservation Committee

LCB:wml

cc: Central Utah District Health Dept.
EPA/Region VIII (N. Heuy)
Steve Clark (EPA, L.A.)

CFPO	
DIST	CCAT
IPP	
BRD	X
IPA	
BRD	
JHA	
RCB	X
BC	X
ATD	X
JCF	
CDH	
HLH	
JMH	X
LEJ	X
FK	
HML	
JLM	
THM	
RN	X
VLP	
GRS	
RDS	
BMT	
LJW	S
RJC	S
WWP	X
FILE	X
PER JHA	

An Equal Opportunity Employer

RECEIVED

AUG 27 1981

IPP / IPA

IP10_004128

Scott M. Matheson
Governor



STATE OF UTAH
DEPARTMENT OF HEALTH

DIVISION OF ENVIRONMENTAL HEALTH
150 West North Temple, P.O. Box 2500, Salt Lake City, Utah 84110

Alvin E. Rickers, Director
Room 426 801-533-6121

James O. Mason, M.D., Dr.P.H.
Executive Director
801-533-6111

July 28, 1981
533-6108

RECEIVED
JUL 31 1981

DIVISIONS

Community Health Services
Environmental Health
Family Health Services
Health Care Financing
and Standards

OFFICES

Administrative Services
Health Planning and
Policy Development
Medical Examiner
State Health Laboratory

James H. Anthony
Project Manager/Dept. of Water & Power
Intermountain Power Project
Los Angeles, CA 90051

IPP

Re: Change in Proposed IPP Plant (Location
and Stack Temperature, NOI Dated June
6, 1981).

Dear Mr. Anthony:

The proposed changes in exhaust stack temperature for the tall
stacks from 350° K to 330° K and relocation 535 meters east-
northeast of the original location have been reviewed and no
adverse impacts would result.

The above changes are hereby approved and shall be considered
part of the Intermountain Power Project approval order dated
December 3, 1980.

Sincerely,

Brent C. Bradford
Executive Secretary
Utah Air Conservation Committee

LCB:wm1

cc: Central Utah District Health Dept.
EPA/Region VIII (N. Heuy)
Steve Clark (EPA, L.A.)

CFPO	
DIST	COAT
IPP	
BRD	
IPA	
BRD	
JHA	
RCB	
BC	
ATD	
JCF	
CDH	
HLH	
JMH	
LES	
PK	
HML	
JLM	
JHM	
RN	
VLP	
GRS	
RDS	
BMT	
B+V	
LJW	
HTD	
FILE	
PER JHA	

RJC
RLN

ASB
FMR
PPW
SAC
WLP

NFB
JJC

ROGER DUTTON

RECEIVED

SEP 21 1981

IPP / IPA

An Equal Opportunity Employer

IP10_004129

Scott M. Matheson
Governor



James O. Mason, M.D., Dr.P.H.
Executive Director
801-533-6111

DIVISIONS

Community Health Services
Environmental Health
Family Health Services
Health Care Financing
and Standards

OFFICES

Administrative Services
Health Planning and
Policy Development
Medical Examiner
State Health Laboratory

STATE OF UTAH
DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
150 West North Temple, P.O. Box 2500, Salt Lake City, Utah 84110

Alvin E. Rickers, Director
Room 426 801-533-6121

July 28, 1981
533-6108

James H. Anthony
Project Manager/Dept. of Water & Power
Intermountain Power Project
P.O. Box 111
Los Angeles, CA 90051

Re: Change in Proposed IPP Plant (Location
and Stack Temperature, NOI Dated June
6, 1981)

Dear Mr. Anthony:

The proposed changes in exhaust stack temperature for the tall stacks from 350° K to 330° K and relocation 535 meters east-northeast of the original location have been reviewed and no adverse impacts would result.

The above changes are hereby approved and shall be considered part of the Intermountain Power Project approval order dated December 3, 1980.

Sincerely,

Brent C. Bradford
Executive Secretary
Utah Air Conservation Committee

LCB:wml

cc: Central Utah District Health Dept.
EPA/Region VIII (N. Heuy)
Steve Clark (EPA, L.A.)